

Stock DWGV Net Price Sheet



Qty	Item	Description	Ø	\$ Each	\$ Extension
	DWGV4-RCIS	Raw Collar Adapter - Inside - Start	4		
	DWGV4-RCOS	Raw Collar Adapter - Outside - Start	4		
	DWGV4-PVCS	PVC Adapter - Start	4		
	DWGV4-APS	Anchor Plate Support	4		
	DWGV4-LSB	Light Support Band	4		
	DWGV4-12L	12" Fixed Length	4		
	DWGV4-18L	18" Fixed Length	4		
	DWGV4-24L	24" Fixed Length	4		
	DWGV4-36L	36" Fixed Length	4		
	DWGV4-48L	48" Fixed Length	4		
	DWGV4-18CL	18" Cut Pipe Length	4		
	DWGV4-30CL	30" Cut Pipe Length	4		
	DWGV4-15EL	15 Degree Elbow	4		
	DWGV4-30EL	30 Degree Elbow	4		
	DWGV4-45EL	45 Degree Elbow	4		
	DWGV4-87EL	87 Degree Elbow	4		
	DWGV4-87BT	87 Degree Boot Tee	4		
	DWGV4-90EL	90 Degree Elbow	4		
	DWGV4-90BT	90 Degree Boot Tee	4		
	DWGV4-DCB	Drain Tee Cap - Bottom	4		
	10DK - 0.50	10' x 0.50 Dia Silicone Drain Tube Kit	0		
	DWGV4-FCF	Flat Cone Flashing	4		
	DWGV4-SCCF	Storm Collar for Coned Flashing	4		
	DWGV4-SWT	Square Wall Thimble	4		
	DWGV4-OTS	Open Termination w/Screen	4		
	DWGV4-EC	Exit Cone	4		
	DWGV4-MCS	Miter Cut Termination w/Screen	4		
	DWGV4-WRC	High Wind Rain Cap	4		
	DWGV4-TPL	Test/Nozzle Port Length	4		
	DWGV4-UDL	Universal Drain Length	4		
	DWGV4-TEI6	Tapered Eccentric Increaser	4		
	DWGV4-TEI8	Tapered Eccentric Increaser	4		
	DC736RD10	Dow Corning, red 10 oz.	0		
	GV-LUBE	GV-LUBE Lube for Gaskets, 2.5 oz. (75 ml.) tube	0		

Total: _____

Stock DWGV Net Price Sheet



Qty	Item	Description	Ø	\$ Each	\$ Extension
	DWGV6-RCIS	Raw Collar Adapter - Inside - Start	6		
	DWGV6-RCOS	Raw Collar Adapter - Outside - Start	6		
	DWGV6-PVCS	PVC Adapter - Start	6		
	DWGV6-APS	Anchor Plate Support	6		
	DWGV6-LSB	Light Support Band	6		
	DWGV6-12L	12" Fixed Length	6		
	DWGV6-18L	18" Fixed Length	6		
	DWGV6-24L	24" Fixed Length	6		
	DWGV6-36L	36" Fixed Length	6		
	DWGV6-48L	48" Fixed Length	6		
	DWGV6-18CL	18" Cut Pipe Length	6		
	DWGV6-30CL	30" Cut Pipe Length	6		
	DWGV6-15EL	15 Degree Elbow	6		
	DWGV6-30EL	30 Degree Elbow	6		
	DWGV6-45EL	45 Degree Elbow	6		
	DWGV6-87EL	87 Degree Elbow	6		
	DWGV6-87BT	87 Degree Boot Tee	6		
	DWGV6-90EL	90 Degree Elbow	6		
	DWGV6-90BT	90 Degree Boot Tee	6		
	DWGV6-DCB	Drain Tee Cap - Bottom	6		
	10DK - 0.50	10' x 0.50 Dia Silicone Drain Tube Kit	0		
	DWGV6-FCF	Flat Cone Flashing	6		
	DWGV6-SCCF	Storm Collar for Coned Flashing	6		
	DWGV6-SWT	Square Wall Thimble	6		
	DWGV6-OTS	Open Termination w/Screen	6		
	DWGV6-EC	Exit Cone	6		
	DWGV6-MCS	Miter Cut Termination w/Screen	6		
	DWGV6-WRC	High Wind Rain Cap	6		
	DWGV6-TPL	Test/Nozzle Port Length	6		
	DWGV6-UDL	Universal Drain Length	6		
	DWGV6-TEI8	Tapered Eccentric Increaser	6		
	DWGV6-TEI10	Tapered Eccentric Increaser	6		
	DC736RD10	Dow Corning, red 10 oz.	0		
	GV-LUBE	GV-LUBE Lube for Gaskets, 2.5 oz. (75 ml.) tube	0		

Total: _____

Stock DWGV Net Price Sheet



Qty	Item	Description	Ø	\$ Each	\$ Extension
	DWGV8-RCIS	Raw Collar Adapter - Inside - Start	8		
	DWGV8-RCOS	Raw Collar Adapter - Outside - Start	8		
	DWGV8-PVCS	PVC Adapter - Start	8		
	DWGV8-APS	Anchor Plate Support	8		
	DWGV8-LSB	Light Support Band	8		
	DWGV8-12L	12" Fixed Length	8		
	DWGV8-18L	18" Fixed Length	8		
	DWGV8-24L	24" Fixed Length	8		
	DWGV8-36L	36" Fixed Length	8		
	DWGV8-48L	48" Fixed Length	8		
	DWGV8-18CL	18" Cut Pipe Length	8		
	DWGV8-30CL	30" Cut Pipe Length	8		
	DWGV8-15EL	15 Degree Elbow	8		
	DWGV8-30EL	30 Degree Elbow	8		
	DWGV8-45EL	45 Degree Elbow	8		
	DWGV8-87EL	87 Degree Elbow	8		
	DWGV8-87BT	87 Degree Boot Tee	8		
	DWGV8-90EL	90 Degree Elbow	8		
	DWGV8-90BT	90 Degree Boot Tee	8		
	DWGV8-DCB	Drain Tee Cap - Bottom	8		
	10DK - 0.50	10' x 0.50 Dia Silicone Drain Tube Kit	0		
	DWGV8-FCF	Flat Cone Flashing	8		
	DWGV8-SCCF	Storm Collar for Coned Flashing	8		
	DWGV8-SWT	Square Wall Thimble	8		
	DWGV8-OTS	Open Termination w/Screen	8		
	DWGV8-EC	Exit Cone	8		
	DWGV8-MCS	Miter Cut Termination w/Screen	8		
	DWGV8-WRC	High Wind Rain Cap	8		
	DWGV8-TPL	Test/Nozzle Port Length	8		
	DWGV8-UDL	Universal Drain Length	8		
	DWGV8-TEI10	Tapered Eccentric Increaser	8		
	DWGV8-TEI12	Tapered Eccentric Increaser	8		
	DC736RD10	Dow Corning, red 10 oz.	0		
	GV-LUBE	GV-LUBE Lube for Gaskets, 2.5 oz. (75 ml.) tube	0		

Total: _____

Stock DWGV Net Price Sheet



Qty	Item	Description	Ø	\$ Each	\$ Extension
	DWGV10-RCIS	Raw Collar Adapter - Inside - Start	10		
	DWGV10-RCOS	Raw Collar Adapter - Outside - Start	10		
	DWGV10-PVCS	PVC Adapter - Start	10		
	DWGV10-APS	Anchor Plate Support	10		
	DWGV10-LSB	Light Support Band	10		
	DWGV10-12L	12" Fixed Length	10		
	DWGV10-18L	18" Fixed Length	10		
	DWGV10-24L	24" Fixed Length	10		
	DWGV10-36L	36" Fixed Length	10		
	DWGV10-48L	48" Fixed Length	10		
	DWGV10-18CL	18" Cut Pipe Length	10		
	DWGV10-30CL	30" Cut Pipe Length	10		
	DWGV10-15EL	15 Degree Elbow	10		
	DWGV10-30EL	30 Degree Elbow	10		
	DWGV10-45EL	45 Degree Elbow	10		
	DWGV10-87EL	87 Degree Elbow	10		
	DWGV10-87BT	87 Degree Boot Tee	10		
	DWGV10-90EL	90 Degree Elbow	10		
	DWGV10-90BT	90 Degree Boot Tee	10		
	DWGV10-DCB	Drain Tee Cap - Bottom	10		
	10DK - 0.50	10' x 0.50 Dia Silicone Drain Tube Kit	0		
	DWGV10-FCF	Flat Cone Flashing	10		
	DWGV10-SCCF	Storm Collar for Coned Flashing	10		
	DWGV10-SWT	Square Wall Thimble	10		
	DWGV10-OTS	Open Termination w/Screen	10		
	DWGV10-EC	Exit Cone	10		
	DWGV10-MCS	Miter Cut Termination w/Screen	10		
	DWGV10-WRC	High Wind Rain Cap	10		
	DWGV10-TPL	Test/Nozzle Port Length	10		
	DWGV10-UDL	Universal Drain Length	10		
	DWGV10-TEI12	Tapered Eccentric Increaser	10		
	DWGV10-TEI14	Tapered Eccentric Increaser	10		
	DC736RD10	Dow Corning, red 10 oz.	0		
	GV-LUBE	GV-LUBE Lube for Gaskets, 2.5 oz. (75 ml.) tube	0		

Total: _____

Stock DWGV Net Price Sheet



Qty	Item	Description	Ø	\$ Each	\$ Extension
	DWGV12-RCIS	Raw Collar Adapter - Inside - Start	12		
	DWGV12-RCOS	Raw Collar Adapter - Outside - Start	12		
	DWGV12-PVCS	PVC Adapter - Start	12		
	DWGV12-APS	Anchor Plate Support	12		
	DWGV12-LSB	Light Support Band	12		
	DWGV12-12L	12" Fixed Length	12		
	DWGV12-18L	18" Fixed Length	12		
	DWGV12-24L	24" Fixed Length	12		
	DWGV12-36L	36" Fixed Length	12		
	DWGV12-48L	48" Fixed Length	12		
	DWGV12-18CL	18" Cut Pipe Length	12		
	DWGV12-30CL	30" Cut Pipe Length	12		
	DWGV12-15EL	15 Degree Elbow	12		
	DWGV12-30EL	30 Degree Elbow	12		
	DWGV12-45EL	45 Degree Elbow	12		
	DWGV12-87EL	87 Degree Elbow	12		
	DWGV12-87BT	87 Degree Boot Tee	12		
	DWGV12-90EL	90 Degree Elbow	12		
	DWGV12-90BT	90 Degree Boot Tee	12		
	DWGV12-DCB	Drain Tee Cap - Bottom	12		
	10DK - 0.50	10' x 0.50 Dia Silicone Drain Tube Kit	0		
	DWGV12-FCF	Flat Cone Flashing	12		
	DWGV12-SCCF	Storm Collar for Coned Flashing	12		
	DWGV12-SWT	Square Wall Thimble	12		
	DWGV12-OTS	Open Termination w/Screen	12		
	DWGV12-EC	Exit Cone	12		
	DWGV12-MCS	Miter Cut Termination w/Screen	12		
	DWGV12-WRC	High Wind Rain Cap	12		
	DWGV12-TPL	Test/Nozzle Port Length	12		
	DWGV12-UDL	Universal Drain Length	12		
	DWGV12-TEI14	Tapered Eccentric Increaser	12		
	DWGV12-TEI16	Tapered Eccentric Increaser	12		
	DC736RD10	Dow Corning, red 10 oz.	0		
	GV-LUBE	GV-LUBE Lube for Gaskets, 2.5 oz. (75 ml.) tube	0		

Total: _____

Stock DWGV Net Price Sheet



Qty	Item	Description	Ø	\$ Each	\$ Extension
	DWGV14-RCI	Raw Collar Adapter - Inside - Start	14		
	DWGV14-RCO	Raw Collar Adapter - Outside - Start	14		
	DWGV14-PS	Plate Support	14		
	DWKL14-LSB	Light Support Band	14		
	DWGV14-12L	12" Fixed Length	14		
	DWGV14-18L	18" Fixed Length	14		
	DWGV14-24L	24" Fixed Length	14		
	DWGV14-36L	36" Fixed Length	14		
	DWGV14-48L	48" Fixed Length	14		
	DWGV14-24AL	24" Adjustable Length	14		
	DWGV14-15EL	15 Degree Elbow	14		
	DWGV14-30EL	30 Degree Elbow	14		
	DWGV14-45EL	45 Degree Elbow	14		
	DWGV14-87EL	87 Degree Elbow	14		
	DWGV14-87BT	87 Degree Boot Tee	14		
	DWGV14-90EL	90 Degree Elbow	14		
	DWGV14-90BT	90 Degree Boot Tee	14		
	DWGV14-DCB	Drain Tee Cap - Bottom	14		
	DWKL14-FCF	Flat Cone Flashing	14		
	DWKL14-SCCF	Storm Collar for Coned Flashing	14		
	DWKL14-LTT	Low Temperature Insulated Thimble	14		
	DWGV14-OTS	Open Termination w/Screen	14		
	DWGV14-EC	Exit Cone	14		
	DWGV14-MCS	Miter Cut Termination w/Screen	14		
	DWGV14-WRC	High Wind Rain Cap	14		
	DWGV14-TPL	Test/Nozzle Port Length	14		
	DWGV14-UDL	Universal Drain Length	14		
	DWGV14-TEI16	Tapered Eccentric Increaser	14		
	J-400SILV	Sealant	0		
	J-600	Sealant	0		

Total: _____

Stock DWGV Net Price Sheet



Qty	Item	Description	Ø	\$ Each	\$ Extension
	DWGV16-RCI	Raw Collar Adapter - Inside - Start	16		
	DWGV16-RCO	Raw Collar Adapter - Outside - Start	16		
	DWGV16-PS	Plate Support	16		
	DWKL16-LSB	Light Support Band	16		
	DWGV16-12L	12" Fixed Length	16		
	DWGV16-18L	18" Fixed Length	16		
	DWGV16-24L	24" Fixed Length	16		
	DWGV16-36L	36" Fixed Length	16		
	DWGV16-48L	48" Fixed Length	16		
	DWGV16-24AL	24" Adjustable Length	16		
	DWGV16-15EL	15 Degree Elbow	16		
	DWGV16-30EL	30 Degree Elbow	16		
	DWGV16-45EL	45 Degree Elbow	16		
	DWGV16-87EL	87 Degree Elbow	16		
	DWGV16-87BT	87 Degree Boot Tee	16		
	DWGV16-90EL	90 Degree Elbow	16		
	DWGV16-90BT	90 Degree Boot Tee	16		
	DWGV16-DCB	Drain Tee Cap - Bottom	16		
	DWKL16-FCF	Flat Cone Flashing	16		
	DWKL16-SCCF	Storm Collar for Coned Flashing	16		
	DWKL16-LTT	Low Temperature Insulated Thimble	16		
	DWGV16-OTS	Open Termination w/Screen	16		
	DWGV16-EC	Exit Cone	16		
	DWGV16-MCS	Miter Cut Termination w/Screen	16		
	DWGV16-WRC	High Wind Rain Cap	16		
	DWGV16-TPL	Test/Nozzle Port Length	16		
	DWGV16-UDL	Universal Drain Length	16		
	J-400SILV	Sealant	0		
	J-600	Sealant	0		

Total: _____